




make paintbombs disrupt railways break doors



make paintbombs disrupt railways break doors

CONTENTS


INTRODUCTION..... P.3
MAKING AND USING PAINTBOMBS..... P.5-7
HOW TO DISRUPT RAILWAYS..... P.8-10
TWO WAYS TO BREAK A DOOR..... P.11-15

TECHNIQUE TWO

Pulling out a cylinder

*For wooden doors with unreinforced cylinders

Step 1. Using the large flat head and hammer make space between the cylinder casing and the door for a crowbar.




INTRODUCTION

Unlike some I think reality is best taken raw, with all eyes open. Dogmas, false wars, and stupid loyalties hedge us in. The heaped up ideological garbage of post industrial capitalism. Industrial civilizations pattern of bashing us with a capitalist right hook then knocking us down with a statist left hook leads us not just be aware of the situation we find ourselves in but open to different options of attack including illegal ones. That is what this pamphlet contains; three hopefully useful and extremely simple and easy to reproduce techniques. I will leave how to use these methods up to you, however I think it is important to remember that in seeing there are no limits to the possibilities of what we can get away with we can actually act, and that as always revolt has a thousand stolen faces.

Step 2. Pull the whole thing (casing and cylinder) out using the curved side of the crowbar.



Step 3. In the hole just created by removing the cylinder find mechanism that you can fit your medium sized screw driver head in. Twist until the lock is open.




15

2

Step 3. Keep moving up the door using the same pattern. Each person switching their position to allow space for the other. As you get closer to the lock there will less space until the lock breaks and the door pops open.

note: This method is used by firemen and criminals the world over.



13

4

TWO BASIC DOOR BREAKING TECHNIQUES

TOOLS NEEDED

1. one hammer
2. two crowbars (one pry bar a.k.a. wonder bar is preferable)
3. two flat head screw drivers (one medium, one large)

TECHNIQUE ONE

Hand over Hand


**Important note this method will probably destroy a good piece of the door as is easiest with two people.*

Step 1. Hammer one side of the crowbar in between the door and door post, start as far away from the lock as possible (the top or bottom of the door).

Step 2. Push with the crowbar towards the door (as long as the door opens inwards) make space for the second person and their crowbar to be set in space created.

12

Step 3. Be sure to cover the wire between the tracks so that it is more difficult to detect.



Step 4. The signal light in the area should change color.

Step 5. Leave the area a.s.a.p. and congratulate yourself on possibly causing thousands of tonnes of train traffic to be disrupted.

10



MAKING & USING



PAINT BOMBS -THE AMSTERDAM METHOD-



Step 3. Take the water out of the balloon then the balloon out of the wax shell. Let the wax shell totally harden and fill it with paint.

Step 4. Seal the opening at the top of the paint bomb with cotton balls or toilet paper. Then pour small amounts of wax on top using a burning candle until it is completely sealed.



Step 5. Throw at a symbol/institution of capital or the state.



7

HOW TO MAKE PAINT BOMBS

Supplies needed are:


1. Wax
2. Balloons
3. Source of heat (hot plate, stove, whatever)
4. Water under pressure (faucet or hose for example)
5. Paint
6. Two old pots
7. Toilet paper or cotton balls

Step 1. Melt wax in a pot filled with half water half wax, fill a few balloons with water and fill the second pot with cold water.




Step 2. Turn off the heat and dip the water balloons in and out of the pot with wax and into another pot with cold water. Repeat until the wax covering the balloon is strong enough to be filled with paint. Like making candles.

6



HOW TO



DISRUPT RAILWAYS

HOW TO DISRUPT RAILWAYS

This info first became public after a group calling itself the "railway ties collective" released a video on youtube with the same instructions that follow. It was released with the idea that "By halting the freight and passenger rail service, we who support indigenous struggles for dignity and fairness will show governments that indigenous people in Canada are not alone." The video was quickly removed from youtube by order of the Canadian government probably because it works. This technique mimics a track blockage by triggering electronic sensors telling trains to stop.

Step 1. Buy (taking security procedures of course) or some how find/steal at least 8 feet of uninsulated 3AWG copper ground wire (the kind that is used for wiring main service panels in a house.)

Step 2. Tie the wire from one track to the other.

9